EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	284	713/163.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:21
L2	888	713/165.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:21
L3	560	713/167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:21
L4	1720	713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:21
L5	2431	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:21
L6	136	380/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:21
L7	1581	380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:21
L8	1966	705/51.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22
L9	1183	encrypt\$3 near3((user single) adj key) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22

L10	259	encrypt\$3 near3((user single) adj key) with key and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22
L11	209	encrypt\$3 near3((user single) adj key) with key and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22
L12	618	encrypt\$3 near3((user single one symmetric) adj key) with key and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22
L13	270	(encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt\$3 near3 ((user single one symmetric) adj key) with key) and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22
L14	28	(encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt\$3 near3 ((user single one symmetric) adj key) with key) and (content file) and (stb (set adj top adj box))and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22
L15	16	(encrypt\$3 near3((user single one symmetric secret) adj key) with key) and (decrypt\$3 near3 (encrypted adj (user single one symmetric secret) adj key) with key) and (content file) and (stb (set adj top adj box)) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22
L16	9	(secret adj key) and (user adj key) and (content file) and (stb (set adj top adj box)) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22

L17	94	(encrypted near2 key) with ((user single sysmmetric) adj key) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22
L18	31	register with "hardware identifier"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22
L19	11	"user" with "hardware identifier" and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:22
L20	20	"user key" with (device adj id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:23
L21	3	I1 and (encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt \$3 near3 ((user single one symmetric) adj key) with key) and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:23
L22	17	I2 and (encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt \$3 near3 ((user single one symmetric) adj key) with key) and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:23
L23	14	I3 and (encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt \$3 near3 ((user single one symmetric) adj key) with key) and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:23

L24	17	I4 and (encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt \$3 near3 ((user single one symmetric) adj key) with key) and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:23
L25	15	I5 and (encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt \$3 near3 ((user single one symmetric) adj key) with key) and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:23
L26	0	I6 and (encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt \$3 near3 ((user single one symmetric) adj key) with key) and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:23
L27	37	I7 and (encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt \$3 near3 ((user single one symmetric) adj key) with key) and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:23
L28	25	I8 and (encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt \$3 near3 ((user single one symmetric) adj key) with key) and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 11:23
S1	872	encrypt\$3 near3((user single) adj key) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 15:26

S2	258	encrypt\$3 near3((user single) adj key) with key and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 15:26
S 3	207	encrypt\$3 near3((user single) adj key) with key and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 16:15
S4	609	encrypt\$3 near3((user single one symmetric) adj key) with key and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 16:16
S5	264	(encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt\$3 near3 ((user single one symmetric) adj key) with key) and (content file) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 16:19
S6	8442	(encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt\$3 near3 ((user single one symmetric) adj key) with key) and (content file) (stb (set adj top adj box))and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 16:19
S7	25	(encrypt\$3 near3((user single one symmetric) adj key) with key) and (decrypt\$3 near3 ((user single one symmetric) adj key) with key) and (content file) and (stb (set adj top adj box))and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 16:37

S8	14	(encrypt\$3 near3((user single one symmetric secret) adj key) with key) and (decrypt\$3 near3 (encrypted adj (user single one symmetric secret) adj key) with key) and (content file) and (stb (set adj top adj box)) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 16:46
S 9	678	(secret adj key) and (user adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 16:46
S10	8	(secret adj key) and (user adj key) and (content file) and (stb (set adj top adj box)) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 16:47
S11	208	713/163.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:19
S12	594	713/165.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:19
S13	345	713/167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:19
S14	1128	713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:19
S15	1644	713/193.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:19

S16	1150	380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:19
S17	124	380/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:20
S18	1410	705/51.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:20
S19	64	S1 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:20
S20	1	S1 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:20
S21	68	S1 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:20
S22	73	S1 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:20
S23	33	S1 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:20
S24	19	S1 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:21
S25	38	S1 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:21

S26	12	S1 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:21
S27	12	S9 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:21
S28	13	S9 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:21
S 29	9	S9 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:21
S30	22	S9 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:21
S31	41	S9 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:21
S32	49	S9 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:21
S33	0	S9 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:22
S34	34	S9 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 17:28

\$35	18	("20010014157" "20010018743" "20020186843" "5592552" "6577734" "6754821" "6853728" "6865555" "6950520").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	DOR	ON	2007/01/26 15:56
S36	10	("20010011238" "4200770" "4757534" "5365589" "5629980" "6209103" "6236971" "6367019" "6398245" "6587837").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/26 15:39
S37	401	(encrypted near2 key) with ((user single sysmmetric) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/26 16:00
S38	92	(encrypted near2 key) with ((user single sysmmetric) adj key) and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:22
S 39	2	"20020146122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:22
S40	7	("5638443" "5812668" "5910987" "6105134" "6381331" "6424714" "6438612").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/05 10:39

S41	25	("4405829" "4531020" "4613901" "4634807" "4912762" "5029207" "5124117" "5142578" "5237610" "5341425" "5381481" "5420866" "5473692" "5481542" "5481613" "5557678" "5557765" "5559889" "5563950" "5568552" "5583939" "5920626" "RE33189").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/05
S42	Ь	iee.in. and "33189"	USPAT; EPO; JPO; DERWENT; IBM_TDB	IOR	ON	2007/07/05 09:38
S43	25	register with "hardware identifier"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 10:26
S44	29	register\$3 with "hardware identifier"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 10:13
S45	11	register\$3 with "hardware identifier" and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 10:14
S46	11	"user" with "hardware identifier" and @ay< "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 10:15

S47	15	"user key" with (device adj id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 10:27
S48	7	("20010018743" "5592552" "6577734" "6754821" "6853728" "6865555" "6950520").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/05 10:39
S 49	10	("20010011238" "4200770" "4757534" "5365589" "5629980" "6209103" "6236971" "6367019" "6398245" "6587837").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/05 10:41

9/23/2008 11:33:54 AM

C:\ Documents and Settings\ bto3\ My Documents\ EAST\ Workspaces\ 09980582-20070705. wsp